



Postal Registration No. N.E.-771/2006-2008

# THE GAZETTE OF MEGHALAYA

PUBLISHED BY AUTHORITY

No. 41 Shillong, Thursday, October 8, 2009, 16th Asvina, 1931 (S.E.)

*Separate paging is given on this part in order that it may be filed as a separate compilation.*

## PART - IX

Advertisements and Notices by Government Offices and Public Service

### NOTICES

#### STANDARD FORM OF APPLICATION

Photo

Dated, \_\_\_\_\_

To

The \_\_\_\_\_

Sir,

I beg to apply for the post of \_\_\_\_\_ and furnish the facts/as below in case of any false statement I am liable to any action Government may deem fit and proper. A Treasury Challan of Rs. \_\_\_\_\_ vide T. V. No. \_\_\_\_\_ is attached herewith.

Signature of Applicant

1. Full name in capital letters with address; if any; Surname first  
(Please do not use any initials)

\_\_\_\_\_  
Surname

2. Date of Birth :

\_\_\_\_\_  
Year

\_\_\_\_\_  
Month

\_\_\_\_\_  
Date

3. Place of Birth :

\_\_\_\_\_  
Village/Town

\_\_\_\_\_  
Police Station

\_\_\_\_\_  
District

\_\_\_\_\_  
State

4. Father's/Mother's and Husband's (in case of married female)  
(Please do not use initials).

## 5. Personal description :

A. Height

\_\_\_\_\_ M \_\_\_\_\_ Cm.

B. Colour of Eyes

C. Colour of Hair :

D. Visible distinguishing marks (if any)

## 6. A. Permanent Address in full.

B. Present Address in full.

C. If you have not resided at the above address continuously for the last four years. Please give the other address where you have resided during the period.

From :

To :

Address :

## 7. References :—

Name and address of two responsible persons in your localities who would be prepared to vouch for you.

A.

B.

## 8. Are you citizen of India? If so, how? (Copy of Citizenship Certificates should be enclosed where necessary).

## 9. Educational and other qualifications (Please attach copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution and Address	Date of entering	Date of leaving	Examination passed	Division	Subject taken
1.	2	3	4	5	6	7

1.

2.

3.

4.

5.

6.

## 10. Community :

(a) State your religion :

(b) Are you a member of Scheduled Caste/Scheduled Tribe? Answer "Yes" or "No". If "Yes" give particulars supported by a Certificate (Copy to be enclosed).

## 11. Present occupation, if any :

## 12. Previous appointment held, if any :

## 13. Are you a temporary/retrenched personnel of temporary Department of the Government of Meghalaya, Answer "Yes" or "No" (If "yes" give particulars).

## 14. Are you trained in or a member of the National Cadet Corps or Territorial Army? If so, give particulars.

## 15. Are you married or unmarried?

Signature.

**Note :** Particulars are to be filled in below the column in the space provided.

Shillong, the 16th September, 2009.

**No.PHEE/HD/W-100/2009-10/514.**—Sealed tender duly affixed with Non-refundable Court Fee Stamp as indicated below for each group to be drawn in P.W.D. F-2 form are hereby invited from the Class-I contractor of PHE Department, Class-II contractor of S.E. (PHE) Rural Circle, Shillong and Class-III of the Hills Division Shillong as applicable for the following works and received by the undersigned upto 21st October, 2009 and will be open at 2 P.M. on the same date same place and same hours in present of the Contractors or their authorized agents who like to be present.

The detailed tender notice, Terms and Conditions and Specification of the work can be had from the office of the undersigned on all working days during office hours on payment as indicated below from 12th October, 2009 to 20th October, 2009 on written application.

The undersigned does not bind himself to accept the lowest rate and reserve the full right to accept or reject any or all tenders without assigning any reason thereof or to offer the lowest rate to any tenderers if he feels necessary.

Contractors/Tenderers should see the site before submission of Tenders.

Sl. No.	Item of Works	Estimate value Rs.	Time allow for completion from the date of work Order.	Court Fee Stamp to be affixing Rs.	Cost of Tenders paper (Non-refundable) Rs.
<b>A.</b>	<b>CHIRAKATTA W.S.S.</b>				
1.	Construction of Head Work	40,900/-	30 days	50/-	150/-
2.	Laying of Gravity Main. Gr.-1	39,700/-	30 days	50/-	150/-
	Gr.-2	39,300/-	30 days	50/-	150/-
3.	Laying of Distribution System. Gr.-1	54,800/-	30 days	100/-	200/-
	Gr.-2	47,950/-	30 days	50/-	150/-
<b>B.</b>	<b>LUMDIENGNGAN W.S.S.</b>				
1.	Laying of the Gravity Main.	37,100/-	30 days	50/-	150/-
2.	Laying of the Distribution System.	32,800/-	30 days	50/-	150/-
<b>C.</b>	<b>SINAI MAWSHYNRUT W.S.S.</b>				
1.	Laying of Gravity Main. Gr.-1	77,850/-	30 days	100/-	200/-
	Gr.-2	75,650/-	30 days	100/-	200/-
	Gr.-3	77,000/-	30 days	100/-	200/-
2.	Laying of Distribution System. Gr.-1	40,600/-	30 days	50/-	150/-
	Gr.-2	54,100/-	30 days	100/-	200/-
<b>D.</b>	<b>NONGSHLUID W.S.S.</b>				
1.	Laying of Gravity Main. Gr.-1	46,800/-	30 days	50/-	150/-
	Gr.-2	41,800/-	30 days	50/-	150/-
2.	Laying of Distribution System.	45,100/-	30 days	50/-	150/-
3.	Construction of Clear Water Reservoir.	58,350/-	45 days	100/-	200/-

Sl. No.	Item of Works	Estimate value Rs.	Time allow for comple-tion from the date of work Order.	Court Fee Stamp to be affixing Rs.	Cost of Tenders paper (Non-refundable) Rs.
<b>E.</b>	<b>WAHMAWPAT COM. W.S.S.</b>				
1.	Construction of Head Work	45,500/-	30 days	50/-	150/-
2.	Laying of Gravity Main. Gr.-1	69,700/-	30 days	100/-	200/-
	Gr.-2	68,100/-	30 days	100/-	200/-
	Gr.-3	68,100/-	30 days	100/-	200/-
3.	Laying of Distribution System Gr.-1	43,200/-	30 days	50/-	150/-
	Gr.-2	40,600/-	30 days	50/-	150/-
	Gr.-3	58,450/-	30 days	100/-	200/-
	Gr.-4	42,700/-	30 days	50/-	150/-
4.	Construction of Clear Water Reservoir.	140,500/-	60 days	200/-	200/-
<b>F.</b>	<b>REN.OF WEILOI W.S.S.</b>				
1.	Constrcution of Head Work	39,350/-	30 days	50/-	150/-
2.	Laying of Gravity Main. Gr.-1	64,700/-	30 days	100/-	200/-
	Gr.-2	63,400/-	30 days	100/-	200/-
3.	Laying of Distribution System Gr.-1	51,900/-	30 days	100/-	200/-
	Gr.-2	48,800/-	30 days	50/-	150/-
<b>G.</b>	<b>MAWDON W.S.S.</b>				
1.	Laying of Gravity Main. Gr.-1	41,750/-	30 days	50/-	150/-
	Gr.-2	34,250/-	30 days	50/-	150/-
2.	Laying of Distribution System Gr.-1	48,000/-	30 days	50/-	150/-
	Gr.-2	39,150/-	30 days	50/-	150/-
<b>H.</b>	<b>KYNRANG W.S.S.</b>				
1.	Laying of Gravity Main. Gr.-1	53,600/-	30 days	100/-	200/-
	Gr.-2	53,350/-	30 days	100/-	200/-
	Gr.-3	54,100/-	30 days	100/-	200/-
2.	Laying of Distribution System Gr.-1	45,600/-	30 days	50/-	150/-
	Gr.-2	37,500/-	30 days	50/-	150/-
<b>I.</b>	<b>MAWLYNDEP SOHRYNGKHAM W.S.S.</b>				
1.	Laying of Distribution Main.	37,050/-	30 days	50/-	150/-
2.	Laying of Distribution System Gr.-1	33,750/-	30 days	50/-	150/-
	Gr.-2	33,500/-	30 days	50/-	150/-

Sl. No.	Item of Works	Estimate value Rs.	Time allow for completion from the date of work Order.	Court Fee Stamp to be affixing Rs.	Cost of Tenders paper (Non-refundable) Rs.
<b>J.</b>	<b>KHARBULI UMIEW MAWRYNTONG W.S.S.</b>				
1.	Construction of Head Work	1,16,300/-	60 days	200/-	200/-
2.	Laying of Pumping Main. Gr.-1	38,400/-	30 days	50/-	150/-
	Gr.-2	38,400/-	30 days	50/-	150/-
3.	Construction of Clear Water Reservoir.	1,63,200/-	60 days	200/-	200/-
4.	Laying of Distribution Main. Gr.-1	36,220/-	30 days	50/-	150/-
	Gr.-2	36,220/-	30 days	50/-	150/-
5.	Laying of Distribution System. Gr.-1	37,200/-	30 days	50/-	150/-
	Gr.-2	37,200/-	30 days	50/-	150/-
	Gr.-3	37,200/-	30 days	50/-	150/-
6.	Construction of Pump House.	1,28,000/-	60 days	200/-	200/-
<b>K.</b>	<b>NONGSHILLIANG COM. W.S.S.</b>				
1.	Construction of intake structure	72,800/-	60 days	100/-	200/-
2.	Laying of Distribution Main.	47,600/-	30 days	50/-	150/-
3.	Laying of Distribution System	45,700/-	30 days	50/-	150/-
4.	Laying of Pumping Main. Gr.-1	77,800/-	30 days	100/-	200/-
	Gr.-2	77,800/-	30 days	100/-	200/-
5.	Construction of RCC Pump House.	1,28,000/-	60 days	200/-	200/-
<b>L.</b>	<b>MAWRANG W.S.S.</b>				
1.	Laying of Distribution Main. Gr.-1	31,800/-	30 days	50/-	150/-
	Gr.-2	32,700/-	30 days	50/-	150/-
	Gr.-3	33,600/-	30 days	50/-	150/-
2.	Laying of Distribution System. Gr.-1	38,150/-	30 days	50/-	150/-
	Gr.-2	36,700/-	30 days	50/-	150/-
	Gr.-3	37,300/-	30 days	50/-	150/-
3.	Construction of Zonal Tank	65,850/-	60 days	100/-	200/-
<b>M.</b>	<b>REN. OF MAWTEIBAH W.S.S.</b>				
1.	Construction of Head Work	35,500/-	30 days	50/-	150/-
2.	Laying of Raw Water Gravity Main. Gr.-1	69,450/-	30 days	100/-	200/-
	Gr.-2	69,250/-	30 days	100/-	200/-
	Gr.-3	76,200/-	30 days	100/-	200/-
	Gr.-4	67,500/-	30 days	100/-	200/-
3.	Laying of Clear Water Gravity Main for Mawryngkang. Gr.-1	42,900/-	30 days	50/-	150/-
	Gr.-2	36,300/-	30 days	50/-	150/-

Sl. No.	Item of Works	Estimate value Rs.	Time allow for completion from the date of work Order.	Court Fee Stamp to be affixing Rs.	Cost of Tenders paper (Non-refundable) Rs.
4.	Laying of Clear Water Gravity Main for Mawteibah. Gr.-3 42,900/-	30 days	50/-	150/-	
	Gr.-4	37,000/-	30 days	50/-	150/-
5.	Laying of Clear Water Gravity Main for Domsohpian. Gr.-5	40,250/-	30 days	50/-	150/-
	Gr.-6	38,350/-	30 days	50/-	150/-
6.	Laying of Distribution System for Mawryngkang Gr.-1	95,250/-	30 days	100/-	200/-
7.	Laying of Distribution System for Domsohpian Gr.-2	43,250/-	30 days	50/-	150/-
8.	Laying of Distribution System for Mawteibah Gr.-3	57,550/-	30 days	100/-	200/-
9.	Construction of Zonal Reservoir for Mawryngkang	1,23,400/-	60 days	200/-	200/-
10.	Construction of Zonal Reservoir for Domsohpian	70,270/-	60 days	100/-	200/-
11.	Construction of Zonal Reservoir for Mawteibah	96,550/-	60 days	100/-	200/-
<b>N.</b>	<b>REN. OF NONGSPUNG W.S.S.</b>				
1.	Construction of Head Work	48,990/-	30 days	50/-	150/-
2.	Laying of Raw Water Gravity Main. Gr.-1	53,730/-	30 days	100/-	200/-
	Gr.-2	53,730/-	30 days	100/-	200/-
	Gr.-3	51,550/-	30 days	100/-	200/-
	Gr.-4	53,000/-	30 days	100/-	200/-
3.	Laying of Clear Water Gravity Main Gr.-1	31,650/-	30 days	50/-	150/-
	Gr.-2	25,460/-	30 days	50/-	150/-
4.	Laying of Distribution System. Gr.-1	27,350/-	30 days	50/-	150/-
	Gr.-2	17,200/-	30 days	50/-	150/-
	Gr.-3	36,400/-	30 days	50/-	150/-
	Gr.-4	23,450/-	30 days	50/-	150/-
	Gr.-5	35,650/-	30 days	50/-	150/-
<b>O.</b>	<b>RAIBAH W.S.S.</b>				
1.	Laying of Gravity Main. Gr.-1	64,200/-	30 days	100/-	200/-
	Gr.-2	59,550/-	30 days	100/-	200/-
	Gr.-3	57,350/-	30 days	100/-	200/-
2.	Laying of Distribution System.	57,460/-	30 days	100/-	200/-

Sl. No.	Item of Works	Estimate value Rs.	Time allow for completion from the date of work Order.	Court Fee Stamp to be affixing Rs.	Cost of Tenders paper (Non-refundable) Rs.
<b>P.</b>	<b>SONATOLA W.S.S.</b>				
1.	Laying of Gravity Main Gr.1	57,000	30 days	100/-	200/-
	Gr.2	50,900	30 days	100/-	200/-
	Gr.3	50,550	30 days	100/-	200/-
2.	Laying of Distribution System Gr.1	50,600	30 days	100/-	200/-
	Gr.2	46,500	30 days	50/-	150/-
<b>Q.</b>	<b>DOMSHKEN W.S.S.</b>				
1.	Laying of Gravity Main Gr.1	45,300	30 days	50/-	150/-
	Gr.2	37,600	30 days	50/-	150/-
2.	Laying of Distribution System Gr.1	40,400	30 days	50/-	150/-
	Gr.2	27,500	30 days	50/-	150/-
3.	Construction of Slow Sand Filter	1,67,900	60 days	200/-	200/-
4.	Construction of Clear Water Reservoir	1,24,050	60 days	200/-	200/-

Executive Engineer (PHE),  
Hills Division, Shillong

Shillong, the 23rd September, 2009.

#### **CORRIGENDUM**

**No.PW/CE/PMGSY/95/2009/17.**—In continuation to the Press Notice issued vide No.P.W/CE/PMGSY/95/2009/1 dated 13th August, 2009 and subsequent Extension Notice No.P.W/CE/PMGSY/95/2009/12 dated 10th September, 2009 the consultants are required to submit their proposal as per revised RFP document along with the Expression of Interest in a separate sealed cover due to change in scope of work as mentioned in revised RFP and EOI document.

The consultants who have been RFP will require to submit their proposal as per revised RFP document which will be issued to them without any additional cost.

Revised RFP document will be issued with effect from 29th September, 2009 upto 12th October during normal office hour.

Last date of submission of proposal is extended upto 2 P.M. of 20th October, 2009

**S. B. CHYRMANG,**  
Chief Engineer, (NH), P.W.D. (Roads),  
Cum Empowered Officer, SRRDA, PMGSY  
Meghalaya, Shillong.

Shillong, the 17th, September, 2009.

**No.M/CID/Cell-2/21/2006-08/290/2141.**—Sealed tender affixing non-refundable court fee stamp of Rs.200 (Rupees two hundred) only are invited from bonafide, established, reputed manufacturers and registered reputed intending firms and supplier (s) for entering into rate contract for supply of equipments for Modernization Scheme 2008-2009 as per specification in Annexure “A”, and terms and conditions laid down in the Tender Notice.

Terms and Condition:

1. Items offered must be from reputed companies/manufactures and should meet with all the specifications as those given in annexure “A”. Tender should be accompanied with catalogue, diagrams, samples, warranty/guarantee or any related papers and will be received up to 15:00 hours on 15th October, 2009 by hand or by post. These will be opened immediately thereafter. Tenderers or their authorized representatives are invited at the time of opening of the tender. The tenderer or the supplier who quote different options will not be accepted and quotation for only those equipments which fulfill the specification will be accepted.
2. Tender must be accompanied by:
  - a) Affixed non-refundable Court Fee Stamp of Rs.200/- (Rupees two hundred) only.
  - b) Earnest Money of Rs. 5000 (Rupees five thousand) only in the following forms only (i) Crossed Bank Draft or (ii) Deposit at Call payable to the ADG, CID, Meghalaya, Shillong at any Nationalized Bank at Shillong. Tenderer(s) belonging to SC/ST may deposit 50 % of the amount above subject to the production of such certificate.
  - c) Valid current Sales Tax Certificate from the Superintendent of Taxes.
  - d) Authenticated copy of rate contract with DGS and D if tenderers have any existing and valid rate contract with DGS and D.
  - e) Attested copy of Valid Trading Licence in terms of KHADC, (for non-tribal) Regulation Act 1954 by tenderers who are required to obtain such License.
  - f) V AT certificate is required.
  - g) Professional certificate
  - h) Attested Photograph of tenderers.
3. The following information must be mentioned on the body of the envelop containing the quotations, failing which the sealed envelop of the quoting firm will not be opened.
  - (a) Sale Tax certificate - is enclosed
  - (b) Earnest money - is enclosed
  - (c) Court Fee stamp - is enclosed
  - (d) Trading License from KHADC (for non-tribal)
  - (e) Scheduled Caste/Scheduled Tribe Certificate.
  - (f) Passport size photograph of the bidder should also be enclosed.

Failure to enclose anyone of those above documents or any invalid documents will result in automatic rejection of the quotation.
4. Rates quoted:
  - a) Should be inclusive of all charges, like custom duty, packing, insurance, taxes and their incidental charge. Only local taxes should be shown separately if applicable.
  - b) Should be inclusive of the cost of all accessories upto March, 2010.



- 
- c) Should be valid for one calendar year from the date of acceptance of tender.
- d) Should be quoted separately for each item.
- e) Should be quoted **FOR** destination Shillong door delivery Additional Director General of Police, (CID), Meghalaya, Shillong.
- f) Should be inclusive of all charges like packing insurance transit risk and other incidental charges only, C.S.T against "D" form may be shown extra as applicable.
- g) Should be written clearly in figure and in words. Any alteration or over writing must be fully signed by the tenderers.
- h) Once the rates offered in the quotation are accepted, no enhancement will be entertained at any circumstances and tenderers will be liable to supply the items at the rate accepted by the Additional Director General of Police, (CID) Meghalaya, Shillong. Failure to supply the items at the accepted rates will entail the offer being cancelled and the security money will be forfeited to the Govt of Meghalaya.
5. Tender/Quotation should be addressed to the undersigned by designation and not by name. Sealed envelopes containing the quotations must be superscribed as "Tender for Supply of Equipments under Modernization Scheme 2008-2009" and must be sent by register post or hand delivery.
6. The successful tenderers will be:-
- a) Intimated by letter of Acceptance of Addl. Director General of Police, CID, Meghalaya, Shillong. Till then, no bidder has, any right to assume that his/ her quotation has been accepted. There shall be no claim for compensation for any expenditure incurred by any tenderer in anticipation of acceptance letter.
- b) Required to furnish a security deposit as per rates mentioned below and execute the contract agreement to fulfillment of the terms and conditions of the contract, which successful tenderer (s) will have to enter into. Such security deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the contract agreement. The earnest money of the successful tenderer (s) will not be released till the security deposit is furnished. Earnest money of the successful tenderer(s) will be forfeited to the Govt. in case of failure to furnish security money in full.
7. Rates of Security Deposit:-
- A) For contract upto Rs.20,000/- — 2% from local and 3% from non-local
- B) For contract upto Rs.50,000/- — 3% from local and 4% from non-local
- C) For contract upto Rs.1,00,000/- — 4% from local & 5% from non-local.
- D) For contract over Rs.1,00,000/- — 5% for all categories.
- The Security Deposit should be interest free and in the form of a valid Bank Draft/Deposit at Call pledged in favour of the undersigned.
8. The Addl. Director General of Police, CID, Meghalaya Shillong may rescind forthwith the contract in writing if,
- a) A Tenderer assigns or sublets any contract in respect of contract or any other contract entered into with the Government.
- b) Tenderer or his agent/Servant are found guilty of fraud of this contractor any other contract.
- (c) Declines, neglect or delays to comply with demand/requisition or in any other way fails to perform or 'Observe any of or all the conditions of the contract agreement.
- In case of such rescission the Security Deposit in full shall stand forfeited and absolutely be at the disposal of the Government without prejudice to any other remedy or action that the Government shall

be entitled to recover from the successful Tenderer any extra expenses Government may deem necessary in obtaining the supplies.

9. In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department or disregarding terms and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the Additional Director General of Police, CID, Meghalaya, Shillong on behalf of the Government of Meghalaya.
  - (i) Forfeiture of security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liability, neglect, delay in complying with the demand.
  - (iii) Cancellation of the contract without any prior notice to the contractor
10. If the successful Tenderers willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the Additional Director General of Police, CID, Meghalaya Shillong may impose a ban upon such Tenderer (s) for future business within the Department.
11. Quantities mentioned in the list are only illustrative and may be increased/reduced on finalizations of order depending on the availability of fund actual requirements.
12. Once the sample is approved, no change of brand name, shape, pattern, quality or specification will be entertained even on the plea of non-availability offer of the same quality or alternative offer of the same quality.
13. The store supplied must be of the same specification, weight and quality as the tendered models/samples/ Tech. Spec. If the items are rejected by the undersigned due to non-meeting of the technical Specification, the supplier must replace the rejected items at their own cost forthwith and in a period of 21 (twenty one) days from the date of rejection.
14. Delivery & Installation must be completed within thirty days from the date of receipt of firm orders. No extension of delivery period will be entertained.
15. Payment will be made to the suppliers directly only on completion of supplies and on correct receipt of goods by the respective consignee in good condition. Documents/Vouchers/P.R. Bills etc. routed through Banks will not be accepted. Consignment will dispatch by the firm after payment of all freight charges at the source. Freight to pay P.R. Bill will not be accepted.
16. Risk of transportation will be borne by the Tenderer themselves.
17. Comprehensive on site warranty should be indicated along with after sale services facilities.
18. One set of manuals of (Instructions and Maintenance) should be supplied free of cost for each item wherever applicable.
19. The Purchase Board reserves the right to reject the lowest rate or any of the tender without assigning any reason.
20. Any dispute arising out of or in respect of these terms and conditions of the Contract Agreement shall be in the Jurisdiction of the Courts in Meghalaya.

N.B: Details can be obtained from the office of the undersigned on any of the working days between 10:00 AM to 4:30 PM.

Additional Director General of Police, CID,  
Meghalaya, Shillong.

## RE TENDER NOTICE

Sealed Tenders, along with brochures and catalogues for supply of items to CID, Organization under Modernization Scheme 2008-2009, will be received by the undersigned upto 15:00 hours on 15th October, 2009 and will be opened immediately thereafter. Details may be collected from the office the undersigned on any working day.

Special Superintendent of Police, CID,  
Meghalaya, Shillong.

## ANNEXURE "A"

Sl. No.	Name of Items/ Equipment	Specification	Qty
1.	Investigation Kit Box ISC Brand (India made)	<b>Customized Master Scene of Crime Investigation Kit</b> <ol style="list-style-type: none"> <li>Instant Fingerprint taking Pad - 1 No.</li> <li>Fingerprint Remover - 1 No.</li> <li>Gel lifters Black - 1 No.</li> <li>Gel lifters Transparent (white) - 1 No.</li> <li>Instant Lifter Black - 1 No.</li> <li>Instant Lifter Transparent - 1 No.</li> <li>Fingerprint Powder Black Special- 1 No.</li> <li>Fingerprint Powder Magnetic Jet Black - 1 No.</li> <li>Powder Brush - 1 No.</li> <li>Powder Brush - 1 No.</li> <li>Powder Brush Flat - 1 No.</li> <li>Magnetic Brush - 1 No.</li> <li>Ridge Counter - 1 No.</li> <li>Scissors - 1 No.</li> <li>Metal Mirror - 1 No.</li> <li>Dust free for Powder and Brushes - 1 No.</li> <li>Plastic Mixing Dish for S-200- 1 No.</li> <li>Spatula - 1 No.</li> <li>Plastic Moulding Compound - 1 No.</li> <li>Magnet with handle - 1 No.</li> <li>Forceps 10.5cm Flat - 1 No.</li> <li>Forceps 10 cm Pointed - 1 No.</li> <li>Forceps 25cm Flat - 1 No.</li> <li>Nail File with Point - 1 No.</li> <li>Scalpel Blades - 1 No.</li> <li>Scalpel with handle - 1 No.</li> <li>Pair of Rubber Gloves (thin)- 1 No.</li> <li>Pair of Rubber Gloves (thick) - 1 No.</li> <li>Set of Disposable Gloves - 1 No.</li> </ol>	12 Nos.

Sl. No.	Name of Items/ Equipment	Specification	Qty
		30. Polyethylene Evidence Bags 18.6 x 48cm - 1 No. 31. Polyethylene Evidence Bags 14.4 x 45cm - 1 No. 32. Sheets with Adhesive Labels - 1 No. 33. Plastic Tubes with Plastic Stoppers - 1 No. 34. Moulded Plastic Containers (Large) - 1 No. 35. Moulded Plastic Containers (Small) - 1 No. 36. Fluorescent Pen Sets - 1 No. 37. Unifix Fixative Aerosol - 1 No. 38. Felt Pen Black - 1 No. 39. Streamlight Junior - 1 No. 40. Reading Magnifier Glass with light - 1 No. 41. Pocket Knife - 1 No. 42. Pincers - 1 No. 43. Screw Driver - 1 No. 44. Phillips Screw Driver - 1 No. 45. Electronic Testers - 1 No. 46. Precision caliper - 1 No. 47. Glass Cutter - 1 No. 48. Tape Rule - 1 No. 49. Metal Frame for foot print. - 1 No. 50. Simple Spray for Black and Grey Powder - 1 No. 51. Soap and Soap Case - 1 No. 52. Magnetic Compass. - 1 No. 53. Gray Powder - 1 No. 54. Feather Brush - 1 No. 55. Clinical Thermometer - 1 No. 56. Cloth Napkin - 1 No. 57. Glass Slab -1 No. 58. Mirror - 1 No. 59. Calculator - 1 No. 60. Cellophane Tape - 1 No. 61. Clipboard - 1 No. 62. Chalk Box - 1 No. 63. Candle - 1 No. 64. Adhesive - 1 No. 65. Small Hammer - 1 No. 66. Saw and Blade - 1 No. 67. Writing Pad - 1 No. 68. Eraser - 1 No. 69. Match Box - 1 No. 70. 35mm Auto Focus Camera - 1 No. 71. Film Black & White - 1 No. 72. Film Colour - 1 No.	

Sl. No.	Name of Items/ Equipment	Specification	Qty
		73. Insulation Tape-1 No. 74. Colour Pencils sets-1 No. 75. Magnetic Powder - 1 No.	
2.	<b>(a) Finger print Kit Box (Imported) (Model No. PS 176A Large type FP Kit Box or equivalent of similar specification.</b>	<b>PS 176A Large Type Finger print Kit A:</b> <b>POWDER FINGERPRINT INSTRUMENTS</b> 1. PS 135 Finger print Powder Spray Gun Kit - 1 No. 2. PS 523 Spare Powder Tank - 1 No. 3. PS 135B Spare Powder Brush -1 No. 4. PS 634 Ultra violet-rays Lamp. 365 mm - 1 No. 5. PS 161 Finger print Powder Duster - 1 No. 6. PS 133 Finger print Powder Sprayer - 3 Nos. 7. PS 129 Finger print Powder Brush, Flat - 3 Nos. 8. PS 128 Finger print Powder Brush, Round - 3 Nos. 9. PS 25 Finger print Powder, Pure Aluminum- 1 No. 10. PS 26 Finger print Powder, Pure Grey - 1 No. 11. PS 27 Finger Print Powder, Black - 1 No. 12. PS 28 Finger Print Powder, White - 1 No. 13. PS 32 Finger Print powder, Lycopodium - 1 No. 14. PS 30 Finger Print powder, Gold - 1 No. 15. PS 157 Finger print powder, Fluorescent - 1 No. 16. PS 1 Gelatin Finger print Lifter, Black-15 Nos. 17. PS.I Gelatin Finger print Lifter, White - 6 Nos. 18. PS 4 Vinylon Finger print Tape - 1 No. 19. PS 5 Polypropylene Lifting Tape - 1 No. 20. Container for lifter - 2 Nos. 21. Container for Powder - 1 No.  <b>SILVER NYTRATE &amp; NINHYDRIN INSTRUMENTS</b> 1. PS 38B Flat Brush for Silver :- Nitrate & Ninhydrin, Large - 2 Nos. 2. PS 40 Flat Brush for Silver-Nitrate & Ninhydrin, Small- 2 Nos. 3. Bottle for Silver-Nitrate Solution Bottle - 1 No. 4. Reduction Fluid Bottle - 1 No. 5. Ninhydrin Solution Bottle - 1 No. 6. PS 34 Silver-Nitrate, 10g - 1 No. 7. PS 158 Ninhydrin, 1g - 2 Nos.  <b>IODINE FINGERPRINT INSTRUMENTS</b> 1. PS 48 Iodine Fuming Kit (Pocket type)- 1 No. 2. PS 33 Iodine, 25g - 1 No. 3. PS 3 Iodine fingerprint Lifting Sheet -18 Nos  <b>FINGER PRINT STAMPING</b> 1. PS 69 Scissors- 1 No. 2. PS 68 Tweezers - 1 No. 3. PS 95 Magnifying Lens - 1 No.	2 Nos.

Sl. No.	Name of Items/ Equipment	Specification	Qty
		4. PS 13 Postmortem Finger print Spoon - 1 No. 5. PS 23 Postmortem Finger print Stretcher- 1 No. 6. PS 156B Fingerprint Stamping Set - 1 No. 7. Flash Light - 1 No. 8. PS 509A Handling gloves - 2 No. 9. Face mask - 2 Nos.	
2.	(b) Finger Print Kit Box ISC Brand (India made or equivalent)	<p><b>Powder/brushes/applicators (Model ISC Brand)</b></p> <p>Finger Print Powder Black - 200 gm (Best quality) Finger Print Powder white - 200 gm (Best quality) Finger Print grey Powder - 200 gm (best Quality) Finger Print Orange fluorescent - 200 gm (Best quality) Finger Print yellow fluorescent - 200 gm (Best quality) Finger Print green fluorescent - 200 gm (Best quality) Finger Print Powder dual use magnetic - 100 gm Finger Print Magnetic applicator 1 No.</p> <p>Finger Print Brush - Marabou Feather - 6 Nos.            Finger Print Brush - Fiber Glass Filaments - 6 Nos            Finger Print Applicator - Small Applicator</p> <p><b><u>Finger Print Taking Materials</u></b></p> <p>Finger Print Slab - Glass inking slab 10" x 4" x 2" - 1 No.            Finger Print Roller - 3.5 " Rubber Roller - 1 No.            Printer's Ink - 250 MI- 1 No.            Liquid Hand Wash - 100 MI- 1 No.            Towel-1 No.</p> <p><b><u>Tools / Lifting Printing</u></b></p> <p>Automizer (Finger Print Powder Gun) - 1 No.            Finger Print Lifting Tape (transparent, thin) 2" - 2 Nos.            Finger Print Backing cards 4" x 4" - Black (pack of 24)            Finger Print Backing cards 4"x4" - white (pack of 24)            Magnifier - Illuminated with batteries - 1 No.            UV Light with batteries - 1 No.            Torch Light with batteries - 1 No.</p> <p><b><u>Support Materials</u></b></p> <p>Latex Gloves - 2 Nos            Cotton Gloves - 2 Nos            Face Mask - 2 Nos            Evidence Markers - Blue &amp; red -1 No. each            Evidence Labels - 1" x 2 " &amp; 2" x 3" - Pack of 50 Nos.</p> <p><b><u>Set of Tools</u></b></p> <p>Scissors, Tweezers, Forcep, Scalpel, Glass cutter &amp; measuring Tape - 1 No. each.</p>	3 Nos.

Shillong, the 22nd September, 2009.

**No.MUDA/MON/49/2008-2009/160.**— Sealed tenders under two Covers Bid System for supply and maintenance of 120 Diesel Fully Built Buses for Shillong City Bus Service of two categories (a) Mini Bus - 35 Seaters (100 Buses) (b) Standard Buses (Floor height upto 900 mm) Non-AC (20 Buses) under JNNURM of the Ministry of Urban Development, Government of India as per specification mentioned in Tender Documents.

The Techno Commercial Bid (Sealed Cover I) and the Financial Bid (Sealed Cover II) separately contained in a common sealed envelope duly and neatly superscribed with the name of work shall be received in the office of the Meghalaya Urban Development Authority, Shillong -793001 upto 14:00 hrs. (1ST) on the 12th October, 2009.

Detailed Tender Documents can be obtained from the office of the Meghalaya Urban Development Authority, Shillong during working hours from the 24th September, 2009 upto 14:00 hrs of 12th October, 2009 on receipt of the written request and a payment either in cash or through Bank Draft of Indian Rs. 5,000 /- (Rupees five thousand) only or Indian Rs. 5,500 /-(Rupees five thousand five hundred) only (if the detailed particulars are requested for sending through Speed Post within India) and duly pledged in favour of the Secretary, Meghalaya Urban Development Authority, Shillong.

Sealed Bids along with a Demand Draft for an amount @ 2% for General and 1 % for Scheduled Caste / Scheduled Tribe of the Tender Value as Earnest Money Deposit on any Scheduled Commercial Bank payable at Shillong in favour of the **Secretary, Meghalaya Urban Development Authority, Shillong** can be submitted on or before 3:00 pm on 12th October, 2009 in the office of the Secretary, Meghalaya Urban Development Authority, Shillong. Tenders shall be opened on the same day at 3:30 P.M., if possible.

Secretary.  
Meghalaya Urban Development  
Authority, Shillong.

Shillong, the 15th September, 2009.

#### **SHORT NOTICE INVITING TENDER**

**No.PW/TB/BR/12/09/4.**—1. Sealed tenders subsequently to be drawn up in MPWD F-2 form of Tender agreement duly affixed with a non refundable court fee stamp as indicated below against each Group No. are hereby invited by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. Contractors of Meghalaya State having requisite qualifications for the undermentioned work and will be received in the office of the Chief Engineer, PWD (Rds), Meghalaya, Shillong (Room No. 311) upto 2:00 P.M. of 12th October, 2009 and will be opened on the same date at 2:15 P.M. in presence of the tenderers or their authorised representatives who so desire to attend. If the last date happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Bridge Design Branch (Room No. 311) of this office from 5th October, 2009 upto 9th October, 2009 on payment of a non-refundable fee of Rs.500.00 (Rupees five hundred) only, per set in cash payable to the Cashier of this office during office hours on any working day, from 11:00 A.M. upto 3:00 P.M. Intending tenderers desiring to get the detailed tender papers by post shall have to send the cost of tender papers alongwith extra Rs. 200.00 (Rupees two hundred) only (non refundable), in the form of Demand Draft/Postal Order, duly pledged in favour of Chief Engineer, P.W.D (Rds), Meghalaya, Shillong payable at Shillong. However, the undersigned is not responsible for the postal delay, if any.

**2. NAME OF WORK :-** Construction of Mawsir-Mawdulop - Ksanrangi Road (Phase-I) - 2.00 Km.

Span	Nature of Work	Approximated value of work	Court Fee Stamp
10.37 m	Construction of RCC bridge 10.37 m effective span at Ch:1951.00 m	Rs.34,04,600.00 (Rupees thirty four lakhs four thousand six hundred)	Rs.1000.00

3. TIME OF COMPLETION:- 18 (eighteen) months from the date of issue of Final Work Order.
4. RATES :— Rates are to be quoted on flat percentage basis i.e. AT PAR/ABOVE the S.O.R for Road and Bridge Works (Other than N.H. works) for N.H. Circle, PWD (Roads) Meghalaya, Shillong for the year 2004-2005 (Second Revision).
5. EARNEST MONEY :- 2% (two percent) 1% (one percent) as applicable (Registered Class I Contractor of PWD (Roads), Meghalaya are not required to furnish Earnest Money).
6. (i) Non-Tribal Contractors of Meghalaya will have to produce Valid Trading Licence from the Khasi Hills Autonomous District Council of Meghalaya, Otherwise these their tenders will not be considered as valid.
- (ii) If the date of opening of tenders happens to be a holiday, the tenders will be opened on the subsequent working day at the same hour.
- (iii) All rights are reserved to reject any or all tenders by the Undersigned without assigning any reason thereof.
- (iv) Only reputed and experienced Registered Class-I Contractors of Meghalaya PWD (Roads) are eligible for tendering for this work.
- (v) Prospective tenderers must have requisite key personnel and machineries to be deployed in the work.

**S. B. CHYRMANG,**  
Chief Engineer, (NH), P.W.D. (Roads),  
Meghalaya, Shillong.



Shillong, the 25<sup>th</sup> September, 2009.

**NOTICE INVITING TENDER:**

**No.MFS/5-CX/2009-10/5646.** - Sealed Tender affixing non refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only are invited for entering into rate contract for supply of Fire-Fighting Equipments for Meghalaya Fire & Emergency Service during the Financial year 2009-10. Sealed Tenders will be received up to 1100 Hrs. on 26.10.2009 in the office of the undersigned and will be opened on the same day at 1200 Hrs. by a Tender Opening Committee. Tenderers or their authorized representatives are invited at the time of opening the Tenders. Tenders received after 1200 Hrs. by hand or by post will be summarily rejected.

**TERMS & CONDITIONS**

1. Tenders must be accompanied by the following: -
  - a. Affix non-refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only .
  - b. Earnest Money of Rs.54,000/-(Rupees Fifty four thousand) only, in any of the following form: -
    - (i) Crossed Bank Draft.
    - (ii) Deposit at Call.
    - (iii) Fixed Deposit.
    - (iv) NSC/KVP.Pledged in favour of the Director General & Inspector General of Police, Meghalaya, Shillong from any Nationalised bank at Shillong.

For Tenderers belonging to scheduled tribes/castes only 50% (fifty percent) of the earnest Money mentioned above may be deposited, Earnest Money and papers available in the office in connection with any earlier Tenders/Supplies will not be considered as valid Earnest Money for this Tender.
  - c. Attested copy of V.A.T. Clearance Certificate & V.A.T. Registration Certificate with Firefighting Equipments as one of the registered listed item.
  - d. Financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
  - e. Attested copy Scheduled tribes/castes certificate in case of ST/SC tenderers.
  - f. Attested copy of valid Trading Licence in terms of the United Khasi & Jaintia Hills and Garo Hills (Trading by Non-Tribals) Regulation, 1954 for tenderers as amended from time to time who are required to obtain such a licence.
  - g. Authenticated copy of authorized dealership Certificate from the Manufacturers or Principals who has authorized dealers specifically certifying that the tenderer is authorized to deal with fire fighting equipments quoted in the tender notice. Separate Dealership Certificate will be required to be furnished by the tenderer if asked for in the list of items.
  - h. Authenticated copy of rate contract with D.G.S.&D. if the Tenderer or his/her Principals/Distributors have existing and valid rate contract with D.G.S.&D.
  - i. Attested copy recent Passport size photograph of the Tenderers should be attached to the tender.
  - j. Sample will be required to be submitted if asked for in the list of items. A list indicating name of the samples submitted by the tenderer should also be enclosed.All documents above from Sl. 1 (c) to 1 (j) should be duly attested by a G.O.
2. Rates should be: -
  - a. Quoted separately for each item and in words and rates should be for 1 (one) item 1 (one) rate. Same items with optional rates and optional quality will not be entertained and out rightly rejected.
  - b. Quoted F. O. R. destination, Shillong. Door delivery at Provincial Stores (Fire & Emergency Service), Nongthymmai, Shillong.
  - c. Inclusive of all charges like custom duty, packing, insurance and other incidental charges. Only Value Added Tax should be shown and calculated separately for each item.

- d. Written clearly in figures and in words. Any correction or overwriting in the tender papers/documents will be rejected.
- e. No enhancement of rate will be allowed once it is agreed to supply the items at the rates accepted by the Department. Failure to supply the items at the accepted rate will entail the offer being cancelled and the Security Money forfeited to the Govt. of Meghalaya.
3. An undertaking should be submitted by the tenderer before opening of the sealed tender stating that he/she is satisfied with the terms & condition of the N.I.T. and agree to abide by the same. In case of failure to submit the undertaking, the sealed tender of the particular firm will not be opened and will be returned back accordingly.
4. Tenders should be addressed to the undersigned by designation and not by name. The words "tender for supply of fire fighting equipments" must be super-scribed on the sealed envelope containing the Tender and the firm's seal should be stamped on the body of envelop. The Tender should be sent by registered post or delivered by hand.
5. The tenderer or their representatives/agents must be present during the tender opening alongwith their firm's seal and authority letter in case of representatives/agents. Whatever objection is to be raised should be done during the Tender Opening Proceeding. Raising objection after the completion of tender opening proceeding will be treated as null & void and the undersigned is not bound to entertain such objections.
6. If at the time of opening of tender, should there be any objection raised by the majority of the tenderer/representatives present as to validity of the tender, the objection will be duly examined by the Tender Opening Committee whose decision on such objection will be final and binding and tenderer will have no right to raise objection on the decision of the Tender Opening Committee.
7. Tenders without furnishing all the required papers/documents will automatically stand rejected.
8. Successful tenderer/tenderers will: -
  - i) be intimated by a letter of acceptance, till then, no tenderer has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
  - ii) have to submit Proforma Bill as and when called for and should comply with the requisition at any cost. Failing to comply with any of the demand/requisition made by the undersigned will invite forfeiture of Earnest Money.
  - (ii) be required to furnish a security deposit at the rates mentioned below and execute a contract agreement to ensure fulfillment of the terms and conditions of the N.I.T. and contract agreement, which the successful tenderer (s) will have to enter into. Security Deposit will be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions of the Contract Agreement. The earnest money of the successful tenderer (s) will not be released till they furnish the full security deposit. Earnest Money of the successful tenderer (s) will be forfeited to the Government in case of failure to furnish the security deposit in full.
9. Rate of security Deposit: -

For contract upto Rs. 10.000/- 2% from locals and 3% from non-locals.  
For contract upto Rs. 50.000/- 3% from locals and 4% from non-locals.  
For contract over Rs. 50.000/- 10% of the total amount.

Schedule Caste/Tribes may deposit only 50% of the Security Deposit mentioned above.
10. The undersigned may rescind forthwith the contract in writing if,
  - a) A Tenderer assigns or sublets any contract in respect of the contract or any other contract entered into with the Govt.
  - b) Tenderer or his agent/servant are found guilty of fraud in respect of this contract or any other contract.
  - c) Declines, neglects or delays to comply with the demand/requisition or in any other way fails to perform or observe any or all the conditions of the contract agreement.

In case of such rescission the security deposit in full shall stand forfeited and absolutely be at the disposal of the Govt. without prejudice to any other remedy or action that the Govt. shall be entitle to take to recover from the successful tenderer (s) any extra expenses Govt. may deem necessary in obtaining the supplies from elsewhere .

11. In the event of the successful tenderer (s) failing to perform his/her part of any or all the conditions of the Contract to the satisfaction of the department or disregarding any terms and conditions of this tender notice or the Contract agreement, the successful tenderer (s) will be liable to any or all of the following actions at the discretion of the Superintendent of Police, (F&ES), Meghalaya, Shillong.
  - (i) Forfeiture of the security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.
  - (iii) Cancellation of the contract without any prior notice.
12. If the successful tenderer (s) willfully neglect, fails to perform or observe any or all conditions of the contract agreement or Tender Notice or attempts to cheat or indulge in foul practices, the Deptt. may impose a ban upon such tenderer(s) for future business with the Deptt.
13. Items mentioned in the list are only illustrative and may omitted from the list of items to be purchased on finalization of order depending upon availability of fund.
14. The samples if asked for in the list of items are approved, no change of brand, shape, patterns, quality or specification will be entertained even on the plea of non-availability of raw material or alternative to the same quality.
15. The stores supplied must be of the same specification, weight and quality as the tendered samples. The successful tenderers will have to furnish the counter samples if required within 2 (two) weeks of receipt of information regarding acceptance of their tender. Failure to submit the counter sample in time as per specification of the approved sample will entail cancellation of the offer and forfeiture of earnest money/security deposit.
16. Delivery must be completed within 60 (sixty) days from the date of receipt of Supply Order. No extension of delivery period will be entertained.
17. Payment will be made to the supplier directly only on completion of supplies and on correct receipt of the goods by the consignee in good condition. Documents/Vouchers/R.R. bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the Firm after payment of all freight charges at source. R.R. of freight will not be accepted.
18. Risk of transportation will be borne by the successful tenderers themselves.
19. Warranty period of the equipments should be indicated alongwith Sales Service facilities.
20. A list of all documents that are attached to the tender should be noted on the body of the envelop containing the tender.
21. The acceptance or rejection of the tender rest finally with the undersigned and reserves the right of rejecting any tender or any item in the tender without assigning any reason thereof.
22. The undersigned reserves to himself the right to reject any or all tenders without prior notice nor assigning any reason thereof.
23. Samples if submitted, the unsuccessful tenderers should collected by the Firm within 15 (fifteen) days after finalization by the purchase board. The undersigned is not responsible for the safe custody of the samples.
24. Firm/Supplier concerned are to furnish their address/contact telephone no. etc.
25. The Authority is not bound to accept the lowest tendered rates.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Enclo: "List of Equipments with Specification".

Tenders are invited for supply of Fire Fighting Equipments for Meghalaya Fire & Emergency Service during the financial year 2009-10.(under Modernization of Fire Service 2009-10) Sealed tender(s) will be received up to 1100 hours on 26.10.2009 in the office of the undersigned and will be opened on the same day at 1200 hours. Complete details will be available in the Office of the Superintendent of Police, (F&ES), Meghalaya, Shillong, during office hours.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Visit us at: [www.meghpol.nic.in](http://www.meghpol.nic.in).

LIST OF EQUIPMENTS WITH SPECIFICATION TO BE PROCURED DURING THE FINANCIAL YEAR 2009-10

**1. FLOATING FIRE PUMP.**

**SPECIFICATIONS:-**

- a. Self suction ability.
- b. Ability to pump out to the level of 1 cm.
- c. Unsinkable glass-fibre float fitted with heavy-duty polyurethane foam.
- d. Modern float shape gives high displacement ensured by low draught.
- e. Can operate with highly wasted water.
- f. Engine equipped with automatic revolutions controller maintaining its set working capacity.
- g. Graphics Ceramic mechanical seal.
- h. Dry work possibility.
- i. Dimensions – 765 X 630 X 430 mm.
- j. Weight – 26 Kg. or as minimum as possible.
- k. Maximum performance – 1200 litres per minute.
- l. Maximum water throw range – 30 metres.
- m. Raising head to – 30 metres of the column of water.
- n. Pressing root storz type – 75.
- o. Drought – 7 Cm.
- p. Frame and Rotor – Made of Alluminium.
- q. Horse Power of engine – 4 KW.
- r. Rotations – 3600 Rotation Per Minute.
- s. Fuel consumption – as low as possible.
- t. Fuel – Petrol.
- u. Tank capacity – 2 litres
- v. Engine oil – Mobil.  
Starting – manual

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**2 Bolt Cutter (Heavy Duty).Sample should be submitted**

**3 PORTABLE WATER MIST FIRE FIGHTING SYSTEM ( back pack model):**

**SPECIFICATION :-** The filling capacity of the main vessel should be 10 litres and the weight of the fully charged system should not exceed more than 25 Kg. The main vessel shall be made of corrosion free aluminum and shall be provided with a pressure gauge on top of the vessel. The operating pressure should be within 34 BAR. The weight of the empty system should be within 14- 15 kg The diameter of the system should not exceed 200 mm and the height should be within 640 mm. The length of the hose should be 1.3m to 2 meter. The compressed Air bottle should be of 2 litres capacity x 200/300 Bar to be used for discharge of 10 litres solution with full power. The length of the gun shall not be more than 500mm and the weight of the extinguishing gun should be within 750 to 800 grams. and the design of the gun shall be such that there is minimum recoil pressure during operation and shall have the locking facility to avoid misuse. The operation duration with continuous jet should be 22 – 23 seconds, and the lancing distance should not be less than 10 – 12 meter The system shall clean automatically as the remaining air is blown out of the container and system shall be ready for quick second recharge. The system shall be single face, single hose type for easy movement during fire fighting and valve shall be located on upright position. The system shall be rechargeable minimum two times with the same air cylinder. The Rubber tube shall be of central core, oil resistant synthetic rubber One cover shall be provided which should be of synthetic rubber with high abrasion, Ozone and weather resistant. The Testing Pressure should be 126 Bar, and the cracking pressure should be 252 bar. The working pressure of the Rubber hose should be of 763 bar and testing pressure of 126 bar, and the cracking pressure of 252 bar. The gun cover should be PA 66 (Polyamide 66) Nozzle with all the parts of stainless steel.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**4 MULTI PURPOSE NOZZLE**

**SPECIFICATION :-** The Multi purpose nozzle should be designed in such a way that it should be light in weight and operational friendly with a pistol grip. The construction should be of Light Alloy construction and hard Anodized for prevention of abrasion and corrosion. The Flow Rate should be 50 – 210 GPM with selectable detent output. The flow pattern should be of straight stream to dense, and should have fog pattern with molded rubber bumper with power fog teeth. The output pattern setting should have stream jet, water curtain, and spray fog. The system should have a automatic pressure regulating system of 100 PSI standard pressure and Emergency Low Pressure. The supply connection should be of 63 mm male instantaneous connection with strong pistol type grip It shall have a shut off valve with flow diversion for the fog water way operating at even low pressure like 3 – 4bar. The lancing distance should not be less than 40 – 50 meter with effective jet.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**5 CONFINED SPACE ENTRY AND RETRACTABLE SYSTEM**

**SPECIFICATION :-** The system should be in the shape of TRIPOD of light weight. with adjustable telescopic feet with pivoting sole plate. and anti slipping rubber packing. The system should consist of a Winch to be used for lifting or lowering of the person. The lifting length should be from 10 meter to 45 meter, and the capacity of the winch should be from 250 kg to 1000 kg.. The system should ensure automatic locking in the event of fall. The retractable length should not be less than 2.5m to 30m. The rope used in the winch should be of either galvanized steel, stainless steel or synthetic material. The system should be provided with a fall indicator , easy carrying handle and automatic fall protection device with integrated winch for ascent or descent.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

6. **BLOWER & EXHAUSTER** Dual purpose should work with positive & Negative intake attached with collapsible suction Engine with singly cylinder, 10 HP, 4 stroke engine, gasoline drive, Air cool.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

7. **RUBBER DINGY BOAT** (Inflatable, cut proof and collapsible dingy boat)

SPECIFICATION:-The Dinghy should be inflatable type and should made of impermeable, light weight polymer coated fabrics. The boat should have the capacity to accommodate 10 person.

Length overall :	5.00meters
Width overall:	2.00meter
Tube diameter- Upper	500 mm
Tube diameter- lower	250mm
Number of Chamber- upper tube	4
Number of Chamber- lower tube	1
Capacity (person)	10
Load carrying capacity	1500 kg
Weight of the boat	70 kg -80kg
Propulsion	30 HP OBM or peddling
Construction	Double buoyancy Tube

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

OTHER SPARE PARTS (Catalog /literature should be submitted)

8. Spark Plug (K-12) Champion.RCJ-7Y
9. Spark Plug BPR 6ES NGK (GX)160
10. Spark Plug NGK BPR 7A (for chain saw)
11. Spark Plug NGK/R BMR 6A (for combi tools)NGK/R BPR 4HS/10 (Honda)
12. V-belt (K-12)
13. Abrasive Blade (B88992/5460 RPM)
14. Diamond tips blade
15. Mercury Bulb for Inflatable light tower (400 W & 600 W) halide lamp.
16. Carbide tips chain No. 5056395
17. Air filter for coltri sub compressor machine
18. 'O' Ring for diving cylinders
19. Driving gear pinion for centrifugal pump
20. Cordoning tape
21. Mask strap for diving suits
22. Fins strap with lock for diving suit.
23. Regulator Mouth piece for diving suit
24. Diving Cylinders 18 liters
25. Ear mask.
26. Small face mask.

\*\*\*\*\*

Shillong, the 25<sup>th</sup> September, 2009.

### NOTICE INVITING TENDER

**No.MFS/A-35/2009-10/5667.** - Sealed Tender affixing non refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only are invited for entering into rate contract for supply of Fire-Fighting Equipments for Meghalaya Fire & Emergency Service during the Financial year 2009-10. Sealed Tenders will be received upto 1100 Hrs. on 28.10.2009 in the office of the undersigned and will be opened on the same day at 1200 Hrs. by a Tender Opening Committee. Tenderers or their authorized representatives are invited at the time of opening the Tenders. Tenders received after 1200 Hrs. by hand or by post will be summarily rejected.

#### TERMS & CONDITIONS:-

1. Tenders must be accompanied by the following: -
  - a. Affix non-refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only .
  - b. Earnest Money of Rs.1,70,000/-(Rupees One lakh Seventy thousand) only, in any of the following form: -
    - (i) Crossed Bank Draft.
    - (ii) Deposit at Call.
    - (iii) Fixed Deposit.
    - (iv) NSC/KVP.

Pledged in favour of the Director General & Inspector General of Police, Meghalaya, Shillong from any Nationalised bank at Shillong.

For Tenderers belonging to scheduled tribes/castes only 50% (fifty percent) of the earnest Money mentioned above may be deposited, Earnest Money and papers available in the office in connection with any earlier Tenders/Supplies will not be considered as valid Earnest Money for this Tender.
  - c. Attested copy of V.A.T. Clearance Certificate & V.A.T. Registration Certificate with Firefighting Equipments as one of the registered listed item.
  - d. Financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
  - e. Attested copy Scheduled tribes/castes certificate in case of ST/SC tenderers.
  - f. Attested copy of valid Trading Licence in terms of the United Khasi & Jaintia Hills and Garo Hills (Trading by Non-Tribals) Regulation, 1954 for tenderers as amended from time to time who are required to obtain such a licence.
  - g. Authenticated copy of authorised dealership Certificate from the Manufacturers or Principals who has authorised dealers specifically certifying that the tenderer is authorized to deal with fire fighting equipments quoted in the tender notice. Separate Dealership Certificate will be required to be furnished by the tenderer if asked for in the list of items.
  - h. Authenticated copy of rate contract with D.G.S.&D. if the Tenderer or his/her Principals/Distributors have existing and valid rate contract with D.G.S.&D.
  - i. Attested copy recent Passport size photograph of the Tenderers should be attached to the tender.
  - j. Sample will be required to be submitted if asked for in the list of items. A list indicating name of the samples submitted by the tenderer should also be enclosed.

All documents above from Sl. 1 (c) to 1 (j) should be duly attested by a G.O.
2. Rates should be: -
  - a. Quoted separately for each item and in words and rates should be for 1 (one) item 1 (one) rate. Same items with optional rates and optional quality will not be entertained and out rightly rejected.
  - b. Quoted F. O. R. destination, Shillong. Door delivery at Provincial Stores (Fire & Emergency Service), Nongthymmai, Shillong.
  - c. Inclusive of all charges like custom duty, packing, insurance and other incidental charges. Only Value Added Tax should be shown and calculated separately for each item.
  - d. Written clearly in figures and in words. Any correction or overwriting in the tender papers/documents will be rejected.

- e. No enhancement of rate will be allowed once it is agreed to supply the items at the rates accepted by the Department. Failure to supply the items at the accepted rate will entail the offer being cancelled and the Security Money forfeited to the Govt. of Meghalaya.
3. An undertaking should be submitted by the tenderer before opening of the sealed tender stating that he/she is satisfied with the terms & condition of the N.I.T. and agree to abide by the same. In case of failure to submit the undertaking, the sealed tender of the particular firm will not be opened and will be returned back accordingly.
4. Tenders should be addressed to the undersigned by designation and not by name. The words "tender for supply of fire fighting equipments" must be super-scribed on the sealed envelope containing the Tender and the firm's seal should be stamped on the body of envelop. The Tender should be sent by registered post or delivered by hand.
5. The tenderer or their representatives/agents must be present during the tender opening alongwith their firm's seal and authority letter in case of representatives/agents. Whatever objection is to be raised should be done during the Tender Opening Proceeding. Raising objection after the completion of tender opening proceeding will be treated as null & void and the undersigned is not bound to entertain such objections.
6. If at the time of opening of tender, should there be any objection raised by the majority of the tenderer/representatives present as to validity of the tender, the objection will be duly examined by the Tender Opening Committee whose decision on such objection will be final and binding and tenderer will have no right to raise objection on the decision of the Tender Opening Committee.
7. Tenders without furnishing all the required papers/documents will automatically stand rejected.
8. Successful tenderer/tenderers will: -
- i) be intimated by a letter of acceptance, till then, no tenderer has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
  - ii) have to submit Proforma Bill as and when called for and should comply with the requisition at any cost. Failing to comply with any of the demand/requisition made by the undersigned will invite forfeiture of Earnest Money.
  - (ii) be required to furnish a security deposit at the rates mentioned below and execute a contract agreement to ensure fulfillment of the terms and conditions of the N.I.T. and contract agreement, which the successful tenderer (s) will have to enter into. Security Deposit will be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions of the Contract Agreement. The earnest money of the successful tenderer (s) will not be released till they furnish the full security deposit. Earnest Money of the successful tenderer (s) will be forfeited to the Government in case of failure to furnish the security deposit in full.
9. Rate of security Deposit: -  
For contract upto Rs. 10.000/- 2% from locals and 3% from non-locals.  
For contract upto Rs. 50.000/- 3% from locals and 4% from non-locals.  
For contract over Rs. 50.000/- 10% of the total amount.  
Schedule Caste/Tribes may deposit only 50% of the Security Deposit mentioned above.
10. The undersigned may rescind forthwith the contract in writing if,
- a) A Tenderer assigns or sublets any contract in respect of the contract or any other contract entered into with the Govt.
  - b) Tenderer or his agent/servant are found guilty of fraud in respect of this contract or any other contract.
  - c) Declines, neglects or delays to comply with the demand/requisition or in any other way fails to perform or observe any or all the conditions of the contract agreement.
- In case of such rescission, the security deposit in full shall stand forfeited and absolutely be at the disposal of the Govt. without prejudice to any other remedy or action that the Govt. shall be entitle to take to recover from the successful tenderer (s) any extra expenses Govt. may deem necessary in obtaining the supplies from elsewhere .
11. In the event of the successful tenderer (s) failing to perform his/her part of any or all the conditions of the Contract to the satisfaction of the department or disregarding any terms and conditions of this tender notice or



the Contract agreement, the successful tenderer (s) will be liable to any or all of the following actions at the discretion of the Superintendent of Police, (F&ES), Meghalaya, Shillong.

- (i) Forfeiture of the security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.
  - (iii) Cancellation of the contract without any prior notice.
12. If the successful tenderer (s) willfully neglect, fails to perform or observe any or all conditions of the contract agreement or Tender Notice or attempts to cheat or indulge in foul practices, the Deptt. may impose a ban upon such tenderer(s) for future business with the Deptt.
  13. Items mentioned in the list are only illustrative and may omitted from the list of items to be purchased on finalization of order depending upon availability of fund.
  14. The samples if asked for in the list of items are approved, no change of brand, shape, patterns, quality or specification will be entertained even on the plea of non-availability of raw material or alternative to the same quality.
  15. The stores supplied must be of the same specification, weight and quality as the tendered samples. The successful tenderers will have to furnish the counter samples if required within 2 (two) weeks of receipt of information regarding acceptance of their tender. Failure to submit the counter sample in time as per specification of the approved sample will entail cancellation of the offer and forfeiture of earnest money/security deposit.
  16. Delivery must be completed within 60 (sixty) days from the date of receipt of Supply Order. No extension of delivery period will be entertained.
  17. Payment will be made to the supplier directly only on completion of supplies and on correct receipt of the goods by the consignee in good condition. Documents/Vouchers/R.R. bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the Firm after payment of all freight charges at source. R.R. of freight will not be accepted.
  18. Risk of transportation will be borne by the successful tenderers themselves.
  19. Warranty period of the equipments should be indicated alongwith Sales Service facilities.
  20. A list of all documents that are attached to the tender should be noted on the body of the envelop containing the tender.
  21. The acceptance or rejection of the tender rest finally with the undersigned and reserves the right of rejecting any tender or any item in the tender without assigning any reason thereof.
  22. The undersigned reserves to himself the right to reject any or all tenders without prior notice nor assigning any reason thereof.
  23. Samples if submitted, the unsuccessful tenderers should collected by the Firm within 15 (fifteen) days after finalization by the purchase board. The undersigned is not responsible for the safe custody of the samples.
  24. Firm/Supplier concerned are to furnish their address/contact telephone no. etc.
  25. The Authority is not bound to accept the lowest tendered rates.
  - 26.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Encl: "List".

Tenders are invited for supply of Fire Fighting Equipments for Meghalaya Fire & Emergency Service during the financial year 2009-10.(under State Plan 2009-10) Sealed tender(s) will be received up to 1100 hours on 28.10.2009 in the office of the undersigned and will be opened on the same day at 1200 hours. Complete details will be available in the Office of the Superintendent of Police, (F&ES), Meghalaya, Shillong, during office hours.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Visit us at: [www.meghpol.nic.in](http://www.meghpol.nic.in).

LIST OF EQUIPMENTS TO BE PROCURED DURING THE FINANCIAL YEAR 2009-10

1. **INFLATABLE LIGHT TOWER 4.5 METERS IN HEIGHT.**

SPECIFICATIONS:-Unit should:-

- i. be compact, portable and foldable.
- ii. accommodate generator set, inflatable tower balloon in cylindrical form blowers and lamp mounted inside of the balloon.
- iii. be maximum 590 X 450 X 470 mm. (+/- 10%) in size.
- iv. not weigh more than 45 Kgs. Without petrol.
- v. The inflatable tower should be made of water proof polyester treated with polyurethane and the special coated synthetic fabric should be with three different layers of polyester on the outside, polyurethane at the center and the aluminate surface inside which works as the reflecting surface for better dispersion of light.
- vi. withstand temperature rise up to 90° centigrade.
- vii. have low-grade porosity for specially coated synthetic fabric cylinder to permit correction emission of air and maintain the required air pressure to keep the cylindrical structure in inflated condition. The construction of specially coated synthetic fabric cylinder should be such that there is no formation of condensed humidity on its inner wall.
- viii. be inflated in the form of cylindrical structure up to the height of 4.5 metres within 60 seconds and within 3 minutes achieve maximum light efficiency.
- ix. remain inflated with the help of continuous air blower system which will be compact in design having two blowers to maintain the required pressure to keep the structure inflated even during stiff windy conditions and withstand wind velocity of at least 45 KMs per hour.
- x. be rainproof and should conform to the IP standard of IP-X5.
- xi. comprise of metal halide lamp of 1 X 400 W.HPMH fitted inside on the top of the inflatable tower at 4.5 metre height to illuminate an area of 10.000 Sq. metre. The 400 W.HMPH lamp should have 42.000 lumens output and protected by wire guard. The lamp should be properly placed inside.
- xii. have a generator of reputed make and high standard confirming to national/international standard, petrol driven of 3.5 BHP 4 stroke engine, having alternator of 1.2 KVA, suitable to be accommodated in the above frame size/inflatable lighting system.
- xiii. be able to be folded back to its initial position within 1 minutes and the necessary air release system provided.
- xiv. come with a container box.

- xv. be provided with the trolley having handle and towing wheel assembly so that it can be shifted very easily from one place to another.
- xvi. be provided with the 50 W. Halogen lamp with 30 Mtrs extension cable with its sheath made out of shock proof heat resistant material.
- xvii. be provided with a G.I. Box so as to keep the equipment safe when not in use.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

## 2. **DRAGON LIGHT/SEARCH LIGHT.**

**SPECIFICATION:-**It should be fitted with an aviation specification sealed beam unit rated at 50 Watts (700,000 cp.). The bulbs should be highly resistant to shock and vibration. The battery should be a Military specified Ni-Cad battery capable of withstanding high temperatures and should be designed to have a service life of 8 years (Approx.) of frequent use. There should be a battery-saving circuit that shall automatically cut off the power to the filament before the battery is completely exhausted. There should be an audible alarm when the battery is low that should indicate that the cut out will trip in approx. 5-8 minutes time. It should be a one-piece plastic casing that is virtually un-breakable and will withstand impact and harsh environmental conditions. All fitting should be sealed and Water and Dust resistant. The beam should produce high-intensity light over 700 mtrs. in clear conditions with a superb width of illumination.

The following are the specifications that have to be adhered to:-

- i) Weight – 3.0 Kg. (Approx.).
- ii) Charging Units – 850g.
- iii) Mains Input – 145 X 85 X 90.
- iv) Dragon – 50 W.
- v) Output – 700,000 cp.
- vi) Beam Angle – 8 deg. X 6 deg.
- vii) Bulb Type – Double Envelope Halogen.
- viii) Running Time – 1 hour to 1 hour 20 min.
- ix) Range – 700 m. in ideal conditions.
- x) Auto-cut out level – 7.5 V.
- xi) Warning sounder level – 10.3 V.
- xii) Humidity – 0 to 95 percent relative humidity. (store in cool dry conditions)
- xiii) Water Splash & Dust resistance

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

## 3. **BREATHING APPARATUS SET (B.A.SET).**

**SPECIFICATION:-**Self contained Breathing Apparatus Set (Compressed Air) with two stage positive pressure reducing valve, first breath mechanism quick lock bayonet connection. Demand Valve, non-dermatic neoprene low profile pana seal full face mask, ergonomically designed tubular padded back plate, rubber shrouded pressure gauge with warning whistle for 45 minutes duration with various other optional arrangement.

**BACK PLATE:-** Light weight composite back plate, fail safe spring ladder piston reducer, luminous pressure gauge with warning whistle, non-dermatic silicon full vision facemask, Auto positive. Demand valve with hands free bypass facility & fail safe servo mechanism with various other optional arrangement.

**CYLINDER/TANK:-** The cylinder/tank should have a water capacity of 10 ltrs and made of chromium molybdenum steel alloy designed to operate at 200 bar. The tank/cylinder should be phosphatised inside and galvanised and painted outside to insure durability. All valves should be approved for bracket mounted regulators. The tank should be supplied with back plate with adjustable re-enforce soft rubber, shoulder straps, quick release buckles, tank hourness that can be adjusted to hold tanks with 10 ltrs. capacity and with non-slip internal support.

**PRESSURE GAUGE:-** The pressure gauge instrument should come with luminous dial and the emergency reserve area should be highlighted. The gauge should have a rotating hose and housing. It should be encased in soft shockproof heat resistant rubber.

**FACE MASK:-** The face mask should be a single lense mask that ensure excellent luminosity and visibility. It should be made of shock proof polycarbonate and transparent silicon and should be able to cover the full face of the user. The buckles should be rapid adjustable type.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

4. **RRL Delivery Hose** with Gunmetal couplings copper binding 63 mm. dia. (2 ½ ") 22.5 meters in length as per I:S 903/636/1984. Sample of full length with coupling at both end should be enclosed.
5. **Fully Embedded Suction Hose** with GM couplings copper binding 100 mm dia. (4") 3 meters in length as per I:S 902/1974. Sample of full length should be enclosed
6. **Fully Embedded Suction Hose** with GM coupling copper binding 75 mm dia. (3") 3 meters in length as per I:S 902/1974 Sample of full length should be enclosed
7. **Stretcher** (St. John's Ambulance). Sample should be submitted
8. **Extension Line** (static type) 1 ½ inch Circumference 75 feet length .for extension ladder Sample should be submitted
9. **Foam Compound Drum** Protein Base packed in 20 lits. in plastic jerrycane as per IS 4989 (Pt-I) 1273. Sample should be submitted
10. **Metal strainer** 100 mm 4" dia. as per IS 907/1984. 1273 Sample should be submitted
11. **Suction Wrench** (Universal Type). Sample should be submitted
12. **Fireman Axe** (Insulated Handle, tested upto 20,000 volts) Sample should be submitted
13. **Life Buoy with lines** – Dimension 72x43 Cm, Thickness 11 Cm, Weight not less than 2.5 kg Sample should be submitted
14. **Fireman Helmet** (Red in colour) Sample should be submitted
15. **Life Jacket** (Pressurized type) Sample should be submitted
16. **Foam Extinguisher 9 Lt capacity** Sample should be submitted
17. **Fire Bucket** Round Bottom 9 liters capacity

**18. FIRE EXTINGUISHING BALLS**

**SPECIFICATION:** The ball should have the capacity to extinguish the fire at the incipient stage The weight of the ball should be within 1.5 Kg and the diameter should be within 147-148 mm The ball should be designed in such a way that it can be used in A,B & C class fires. The ball should not develop any crack, tearing, and leakages if dropped accidentally on a hard surface .and during operational use the ball should explode within 85 – 90 degree centigrade.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

19. **Venial hand gloves** (cut proof ,leak proof) Sample should be submitted

**20. DIAMOND CHAIN SAW****SPECIFICATION :****Engine:**

Type – 2 stroke single cylinder air cooled.  
 Displacement – 6.2 cu. In (101 cc)  
 Horse Power – 6.5 HP @ 8700 rpm speed  
 Specially designed for wet cutting concrete and an abrasive environment.  
 Special crankshaft scaling and air filtration.

**Carburator:**

Walbro WGAK3, Throttle shaft sealed.

**Ignition:** Special water resistant electronic ignition.

**Fuel Capacity:**

0.26 gal (1 liter)

15-18 minutes per tank, continuous full- load

**Weight:**

27.56 lbs (12.5 kg)

**Dimensions:**

23 in. (58 cm) length

14 in. (36 cm) Height

12 in. (30 cm) Width

**Starter:** Dust and water shielded.

**Chain:**

General Concrete Premium chain (GCP)

Sealpro

Speed – 550 feet per min (28 m/s) free running.

**Wallwalker:** Patented Wallwalker with Pivot “dogs”

**Handles:** Closed Cell foam Covered full Wrap

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**Cutting Depth:**

14 inches (35 cm)

Cuts reinforcement concrete upto 300 mm thickness with built in Iron Rod upto 12 mm dia.

Guide Bar: Flame coated.

**Noise Level:**

102 dBA @ 1 meter

**Cutting Rate:**

Hard aggregates & Steel:

15-25 in/min (90-160 cm/min)

Medium aggregates:

20-30 in/min (160-190 cm/min)

Masonry, Block, Brick:

30-50 in/min (190-320 cm/min)

**Provided with:**

- Momentary Contact On/Off Switch
- “Multiple Tool” and Tool Holder mounted on handle
- Water Pressure Gauge
- Swivel Hose connector 360 Degree (Important)
- Muffler Exhaust Port Cover
- Light Weight Magnesium Castings
- Rubber coated bottom and starter spring lubrication port
- Sprocket Side Cover
- Closed cell foam covered full wrap handles

**21. BULLET CHAIN SAW**

- i. **SPECIFICATION :-** It should be a Gasoline (Petrol) Powered Multicut Bullet Chain Saw. It should be able to be used for cutting all different building materials, bricks, wood, wood with nails, PVC Doors, tin sheets upto 18 (eighteen) gauge.
- ii. It should specifically designed for multi-purpose cutting.
- iii. The cutter should be a solid piece of metal without bends or ground out areas and the carbide insert should be formulated specifically using patented “Locking Key” to mount it to the cutter body.
- iv. It should have a four stage externally mounted filtration system.
- v. It should have a guard that guage covering the cutting chain and should also allow infinite depth of cut adjustment from 0 to 8 inch deep.

- vi. It should have a fullwrap handle that shall allow ease of use from either side.
- vii. It should have a guard deflected that should help to keep the saw cooler and cleaner so as to extend the life of saw.
- viii. It should have a one step starting and 2-mass anti-vibration system.
- ix. The engine should be a single cylinder 2 cycle with loop scavenging and horse power of 5.67 HP.
- x. The ignition system should be type electric, one piece modular.
- xi. The guide bar should be a 16 inch slotted for guard/depth gauge.
- xii. The cutting chain should be a cutter edge bullet chain carbide tipped with locking key.
- xiii. The weight should not be more than 10 (ten) Kg.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

- 22. **Fireman belt & Pouch** :-The belt and the pouch should be made of superior water repellent leather with double size buckle. Sample should be submitted
- 23. **Static Ropes** for Rescue purposes (100 meter coil)sample should be submitted
- 24. **Dry chemical powder extinguisher** (store pressure type) Sample should be submitted

**25. Rescue Saw**

SPECIFICATION :- It should consist of 16" Saw, Diamond plate aluminum case Advanced Combi-Cut Multi-Purpose "Carbide Chip" blade, 4 (four) rescue abrasive wheels for cutting BOTH steel and CONCRETE, safety gas can, Hearing protection, Goggles, Spare belt and Air filter, 2-cycle engine oil, Can of gasoline stabilizer, Combination screwdriver/wrench, Instruction manual. This case, should be constructed from light weight, diamond plate aluminum and be equipped with a hinged top lid, heavy duty latch and handle holds about L32.5".X.W11.5".X.H16", weight 15 to 20 kg . (approx).Engine power should be of 4.5 KW and Maximum RPM should be 9800 +/- 300

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments